Site: Oats/Rye	Overall Confidence Rating: M								
Background: 4,500,000 to 5,000,000 acres of oats and 1,500,000 acres of rye are planted annually ⁴ . OP's represent 70% of the 30,000 to 35,000 acres of oats and rye treated with insecticides annually ⁵ .									
Organophosphate	% Treated		# Applications		Rate (lb AI/A)		PHI (days)		
Pesticides	Max ¹	Avg ¹	Max	Avg ¹	Max	Avg	Min	Avg	
Azinphos-Methyl	<1.0	<1.0	1.0^{2}	NS	0.5^{2}		30^{2}		
Disulfoton	4.0	<1.0	1.0^{3}	1.0	0.75^{3}	0.4^{1}	60^{2}		
Malathion	<1.0	<1.0	NS	1.0	1.26^{2}	1.0^{1}	7^{3}		
Methyl Parathion	<1.0	<1.0	NS	NS	1.25^{2}	0.5 - 0.75 ³	15 ³		

Confidence Rating: H= high confidence = data from several confirming sources; confirmed by personal experience

M = medium confidence = data from only a few sources; may be some conflicting or unconfirmed info.

L = low confidence = data from only one unconfirmed source

Organophosphate Target Pests for Oats/Rye(5) (Primary pests controlled by the OP's)				
Major				
Moderate	Aphids, Armyworms, Grasshoppers			
Minor	Fleahoppers, Cereal Leaf Beetles, Leafhoppers			

Major = 20+% of all OP usage on pest and >2% of total acres planted; Moderate = 5-20% of all OP usage on pest; Minor =<5% of all OP usage on pest

Sources:

- ¹QUA Reports
- ² Luis reports

North Dakota Field Crop Insect Management Guide 1997

Insect Control for South Dakota Small Grain, 1997

1997 Field Crops Pest Management in Wisconsin

1997 North Carolina Agricultural Chemicals Manual

1997 Georgia Pest Control Handbook

Date:6/11/98

³ State Recommendations

⁴ Agricultural Statistics 1997

⁵ US proprietary market share information 1994-1996

Site: Oats/Rye Region:National

Pest ¹	Organophosphate ¹	Efficacy	Mkt ¹	Class	Alt. Pesticide List ¹	Efficacy	Mkt ¹	Constraints of Alternatives		
Timing: Foliar ²										
Aphids (moderate)	Disulfoton		High	С	Carbofuran ²		Lo	Most products that contain Carbaryl are not labeled for use on either oats or rye. It's high		
	Malathion		Lo	С	Methomyl ²		Lo	market share may be due to the relatively low overall use of insecticides on oats and rye ² .		
	Methyl Parathion(2)		Lo					Carbofuran should be applied before head emerges ² .		
Armyworm (moderate)	Methyl Parathion		High	C	Carbaryl		High	Most products that contain Carbaryl are not labeled for use on either oats or rye. It's high market share may be due to the relatively low		
	Malathion ²		Lo	C	Methomyl ²		Lo			
								overall use of insecticides on oats and rye ²		
Grass- hoppers (moderate)	Methyl Parathion		High	С	Carbaryl		Med	Most products that contain Carbaryl are not labeled for use on either oats or rye. It's high market share may be due to the relatively low		
	Malathion ²		Lo	С	Carbofuran ²		Lo	overall use of insecticides on oats and rye ² Carbofuran should be applied before head emerges ² .		
Fleahopper (minor)	Disulfoton		High							
Cereal Leaf Beetles (minor)	Malathion		High	C	Carbaryl		High	Most products that contain Carbaryl are not		
	Azinphos-Methyl		Med	С	Carbofuran		High	labeled for use on either oats or rye. It's high market share may be due to the relatively low		
				С	Methomyl ²		Lo	overall use of insecticides on oats and rye ²		

ADDITIONAL INFORMATION:

Disulfoton and Carbofuran are not registered for use on Rye

Pest Importance: Major = 20+% of all OP usage on pest and >2% of total acres planted; Moderate = 5-20% of all OP usage on pest; Minor = <5% of all OP

usage on pest

Efficacy Rating: Excellent = \odot Good = \bigcirc Fair = \bullet

Market Share: High = use of OP represents 20+% of all insecticide usage on pest; Med = 5-20% of all usage on pest; Lo = <5% of all usage on pest Insecticides: C = Carbamates; P = Pyrethroids; CH = Chlorinated Hydrocarbons; IGR = Insect Growth Regulators; B = Biological; O = Other pesticides

Site: Oats/Rye Region:National

SOURCES:

¹ US EPA proprietary market share information 1994-1996

²State Recommendations

North Dakota Field Crop Insect Management Guide 1997 Insect Control for South Dakota Small Grain, 1997 1997 Field Crops Pest Management in Wisconsin 1997 North Carolina Agricultural Chemicals Manual 1997 Georgia Pest Control Handbook

Date:6/1/98